PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

US

(51) International Patent Classification 5: G11B 17/22, 15/18, G06F 15/00 H07J 1/16

A1 (11) International Publication Number:

WO 94/03894

(43) International Publication Date:

17 February 1994 (17,02.94)

(21) International Application Number:

PCT/US93/07318

(22) International Filing Date:

6 August 1993 (06.08.93)

(81) Designated States: AU, CA, FI, JP, NO, European patent (AT, BE, CH, DE, DK, ES, FR, GB, GR, 1E, 1T, LU, MC, NL, PT, SE).

(30) Priority data:

07/926,327

10 August 1992 (10.08.92)

Published

With international search report. With amended claims.

(71) Applicant: E-SYSTEMS, INC. [US/US]; 6250 LBJ Freeway, Dallas, TX 75240 (US).


(72) Inventor: EARLY, Gary, Raymond; 1611 Serenade Lane, Richardson, TX 75081 (US).

(74) Agents: MEIER, Harold, E. et al.; Gardere & Wynne, 1601 Elm Street, Suite 3000, Dallas, TX 75201 (US).

(54) Title: BROADBAND SERVICES DELIVERY SYSTEM

(57) Abstract

A method and apparatus for presenting recorded entertainment and educational selections to a plurality of user locations (2), including a controller (4) connected to a storage library (12), a plurality of playback drives (16) and a robotic loader (14). The controller (4) accepts requests from a user location (2) and processes the request causing the robotic loader (14) to remove the requested selection from the storage library (12) and load the selection into a planback drive (16). The controiler (4) connects the playback device (16) containing the selection with the user location (2) making the request, and the selection is transmitted to the user. The system



contains interactive capabilities allowing the user location (2) to operate the playback drive (16). User control of a recorded selection is limited to a predefined period of time. The system also provides a menu function allowing the user to choose a selection by scrolling through a menu arranged by broad categories, or the user may choose a specific selection by entering a coded number corresponding to the selection. The system is modular in construction allowing for easy expansion and repair.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	PR	France	MR	Mauritania
AU	Australia	GA	Cabon	MW	Malawi
BB	Barbados	CB	United Kingdom	NE	Niger
88	Belgium	GN	Guinea	NL	Notherlands
87	Burtina Faso	GR	Grecce	NO	Norway
BG	Bulgaria	AU	Hungary	NZ	New Zealand
BJ	Benin	IB	Ireland	PL	Poland
BR	Brazil	ΪŤ	Italy	PT	Portugal
BY	Belarus	JP	Japan	RO	Romania
ÇA	Canada	KP	Democratic People's Republic	RU	Russian Federation
CF	Central African Republic		of Korea	SD	Sudan
CG	Congo	KR	Republic of Kores	SE	Sweden
CH	Switzerland	KZ	Karakhstan	St	Slovenia
Ci.	Côte d'Ivoire	ū	Liechtenstein	. SK	Slovak Republic
СМ	Cameroon	ш.	Sri Lanka	SN	Senegal
CN	China	ᇤ	Luxembourg	TD	Chad
ČŠ	Czechoslovakia	ĹŸ	Latvia	- TG	Togo
æ	Czech Republic	MC	Monaco	UA	Ukraino
DB	Germany	MG	Madagascar	US	United States of America
DK	Denmark	ML	Mali	ÜZ	Uzbekistan
· ES	Spain	MN	Mongolia	VN	Vict Nam
. 63 Pi	Finland				·

- 1 -

BROADBAND SERVICES DELIVERY SYSTEM

TECHNICAL FIELD

5

The present invention relates to video and audio delivery systems, and more particularly to a system for delivering interactive video and audio programs to a plurality of independent remote user locations.

- 2 -

BACKGROUND OF THE INVENTION

1.0

15

20

Present cable entertainment options are somewhat limited. Current cable television options are restricted to either signing up for a movie channel and being limited to viewing what the channel offers or using a pay-per-view channel allowing the user to pay only for the movies the user chooses to watch but at a much higher per movie price.

The major problem with these options is the lack of control over which movies are shown and the time at which the movies are shown. If the selections chosen by the cable programmer or hotel operator are not interesting or convenient, the selections have no entertainment value to the user. Another problem with cable channels is the lack of interactive capability. The user is limited to watching a selection in the time and manner presented by the cable channel.

The other option to cable entertainment is renting or purchasing a video cassette recording of a movie. However, the alternative requires the user to travel to a store stocking the desired video cassette to obtain a copy of the movie, and then the desired movie may not be available at the store when the user desires to rent or buy it.

Thus, a need has arisen for a method and apparatus to present an entertainment selection to the user's location at a time and manner chosen by the user individual.

- 3 -

SUMMARY OF THE INVENTION

5

10

15

20

25

The present invention overcomes the foregoing and other problems by creating a broadband service delivery system. The apparatus of the present invention is operated by a central controller which is the heart of the system.

The controller presents to a user a menu of recorded selections at the user's location, or the user may directly select a specific entertainment selection (e.g. a movie) by entering its coded index number. The controller receives instructions over a local area network from the remote user requesting a particular selection. The selection is maintained in a recorded library of entertainment and educational programs. The controller responds to these instructions by commanding a robotic loader to retrieve a record of the requested selection from the library and load the record into one of a plurality of record playback drives.

The controller also activates a transmission system to have the requested selection transmitted to the user location and also records the use of the selection for accounting purposes. The interface with the user location is interactive allowing the selection to be viewed by the user in any manner desired. However, a maximum time limit is set on the period a user may control a particular selection to prevent monopolization of a selection.

- 4 -

BRIEF DESCRIPTION OF THE DRAWINGS

For a more complete understanding of the present invention and the advantages thereof, reference is now made to the following detailed description taken in conjunction with the accompanying drawings.

FIGURE 1 is a block diagram of a broadband services delivery system in accordance with the present invention.

FIGURES 2a and 2b is a flow diagram illustrating the operation of the broadband services delivery system.

- 5 -

DETAILED DESCRIPTION OF THE INVENTION

5

10

15

20

25

Referring now to FIGURE 1 wherein there is shown a block diagram of the broadband delivery system of the present invention. A plurality of user locations 2 are interconnected by an interface channel 3 to enable communication with a system controller 4. The controller 4 is the central unit of the system and interconnects to all components of the system. Storage of the control software of the system and other data is provided in a memory 6 as a part of the controller 4.

An input terminal or console 8 connects to the controller 4 to allow a system operator to access the system for the input of control information and for setting desired accounting procedures. Also, a printer 10 connects to the controller 4 for printing billing statements to users.

A library 12 of recorded entertainment, e.g. a record library, is connected to the controller 4 through a standard RS-232 interface. The library 12 contains a variety of entertainment and educational selections archived in a data base stored in the memory 6 of the controller 4. The library 12 is of modular construction and consists of a plurality of storage areas for receiving a storage tray containing a record. Sections of the library 12 may be easily added to or removed from the

- 6 -

library 12 since it consists of a plurality of storage modules.

5

10

15

20

The library 12 is interactive with a robotic loader The robotic loader 14 handles a single storage tray for loading and unloading into one of a plurality of The playback drives 16 receive a playback drives 16. storage tray from the robotic loader 14 and retrieves the enclosed recorded data stored on the transmission to a user location 2. Each playback drive 16 connected to the controller 4 through a port concentrator (not shown) via a standard RS-232 or SCSI interface. The port concentrator allows the controller 4 to be attached to up to one hundred playback drives 16 through a single input/output port. The playback drives 16 are constructed in a modular fashion allowing for the addition or removal of drives with minimal effects on the system.

The playback drives 16 are selected to withstand extensive use with limited downtime. Typically, a playback drive 16 will play both A and B sides of a record without flipping the record. The video output from the drive 16 follows National Television Standards Committee video format specifications. The audio output is digital two channel stereo with an output level of at least 500 mV.

- 7 -

The playback drives 16 play both Constant Angular Velocity and Constant Linear Velocity records.

Each playback drive 16 and the controller 4 are connected to a broadband video switch 18 as a part of a local area network. The switch 18 is of conventional design and no further description is required for an understanding of the present invention. The switch 18 receives a plurality of inputs from the playback drives 16 and connects one of these inputs to a single user or multiple user locations 2 requesting a selection. The connection is made through a provider supplied local area network.

5

10

15

20

25

To maintain the library 12 current with desired entertainment and educational selections, the controller 4 includes an archive function 20 to track the location and usage of the individual records. The archive function 20 tracks each entertainment and educational record in the system. Thus, when a request for a particular selection is received from a user location 2, the system locates the selection and responds to the request. If the selection is not available, it may be reserved for a user location 2 at the next available time period. The archive function 20 also records the time a selection is actuated in a playback drive 16 allowing the controller 4 to predict when the selection will next be available for use. The archive

- 8 -

function 20 also assigns unique n-digit codes to each selection within the system to allow a user to directly request a selection without going through the menu selections, to be discussed later. Finally, the archive function 20 allows the controller 4 to maintain record queuing in the event a selection is on multiple records.

5

10

15

20

25

The controller 4 also contains an accounting function 22 allowing the generation of user billing information. The accounting function 22 allows the controller 4 to track usage of recorded entertainment and educational programs, to track any selection request delivered or rejected, and to track any type of date and time stamp entry by the system for each user location 2. Using this data, the accounting function 22 generates accounting reports and provides a hard copy by means of the system printer 10. The accounting function 22 also provides the option of generating accounting reports showing different information or different formats of accounting information.

A menu function 24 is available in the controller 4 to allow a user to browse through the available selections before making a choice. The menu function 24 maintains a data base of all available selections within the library 12. The menu function 24 initially offers the user broad categories of selections such as horror, drama, science fiction, etc. or categories offering selections by actor,

- 9 -

actress or director. The user makes a selection within these broad categories. Another aspect of the menu function 24 allows a user to directly access a selection by entering its assigned multi-digit code. This allows the user to bypass the step of scrolling through a selection menu.

The controller 4 includes a robotic function 26 to control the mechanical operation of the robotic loader 14. The robotic function 26 converts user requests received over the local area network into commands for the robotic loader 14 to retrieve a record from the library 12 and load the record into a playback drive 16. The robotic function 26 also generates commands to the robotic loader 14 to remove a record when a showing of the selection is complete.

10

15

20

25

The interactive function 28 as a part of the controller 4 permits the user to have the same playback or interactive capabilities that exist in a VCR. The interactive function 28 allows the user to search or backup the selection, as well as chapter search, scan, pause, start or exit. However, the interactive function 28 does not allow user abuse of these capabilities. A user is limited to controlling a record for a period of time equal to the length of the program on the record plus a predetermined time period.

- 10 -

A diagnostic function 30 is programmed into the controller 4 to enable self-check of the included functions and interconnected hardware of the system. Start-up diagnostics will identify any discrepancies during system initialization. System self-diagnostics will report unit failures to the controller 4 allowing corrective measures to be taken. Also included are off-line diagnostics to aid in fault isolation during repair of the system.

5

10

15

20

Finally, a switching function 31 enables the controller 4 to control the broadband video switch 18. The switching function 31 also enables a playback drive 16 transmitting a requested selection to be connected to a single user location 2 or multiple user locations requesting the selection.

Referring now to FIGURE 2, there is illustrated a flow chart for describing how the system functions in response to a user request. In response to a request, a user location 2 is presented a list of available selections at step 40. The controller 4 monitors the user location at step 42 for a request for a recorded selection. When inquiry step 44 determines the user location has made a request, the controller 4 activates the archive function 20 to process the request at step 46 and determine if the requested selection is presently available.

- 11 -

If the selection is available, the robotic function 26 is actuated at step 48 to command the robotic loader 14 to retrieve the selected record from its storage area in the library 12 and load the record into an available playback drive 16. The archive function 20 notes the "in use" status of the selected record at step 50, and the accounting function 22 records the use of the record by the user for future billing purposes at step 52.

The controller 4 next sends a command to the playback drive 16 containing the record to begin transmission of the selection at step 54. The controller 4 actuates the broadband video switch 18 and the switching function 31 at step 56 to selectively connect the output of the playback drive 16 to the requesting user location or locations 2.

10

15

20

During viewing of the selection, the user location 2 is monitored at step 58 to determine if an interactive function request, such as, pause or rewind, has been requested. If an interactive function request is detected, the controller 4 determines at step 59 if the interactive time period has expired. If not, the interactive function 28 within the controller 4 is activated to process the request, and the controller 4 generates the proper command to the playback drive 16 at step 60. If the interactive time period has expired, the request is not carried out.

- 12 -

After an interactive function request has been completed or if no interactive function has been requested, the controller 4 will next determine at inquiry step 62 if the selection has ended. If the selection has not ended, control returns to step 58. If the selection has ended, the controller 4 will interrupt the connection between the user location 2 and the playback drive 16 at step 64, and the playback device 16 is stopped at step 66. The robotic function 26 next commands the robotic loader 14 to unload the record selection from the playback drive 16 and store the selection at step 68 in a location in the library 12 identified by the archive function 20. The archive function 20 will then identify at step 70 that the record is again available for use by other user locations 2.

5

10

15

20

25

If the requested record selection was not available at step 46, the controller 4 determines at inquiry step 72 if the user location 2 desires to reserve the selection for its next available time slot. If so, the controller 4 reserves at step 74 the time slot for the user. If not, the user is allowed to exit the system.

Although a preferred embodiment of the invention has been illustrated in the accompanying drawing and described in the foregoing Detailed Description, it will be understood that the invention is not limited to the embodiment disclosed, but includes of numerous

rearrangements and modifications of parts and elements without departing from the spirit of the invention.

- 14 -

CLAIMS

5

1. A system for providing to user locations recorded entertainment and educational selections, comprising:

a plurality of entertainment and educational records contained within a plurality of storage trays;

means for retrieving information stored on the records for transmission of the information to a user location:

switching means for selectively connecting said means for retrieving to a user location; and

from a user location to activate said means for retrieving and said switching means to enable transmission of the information to a user location.

- 15 -

2. The system of Claim 1, including means for storing each of the plurality of storage trays; and

wherein said means for receiving includes:

a playback drive; and

robotic means for retrieving records from said means for storing.

- 3. The system of Claim 2, wherein said controller means further includes means responsive to requests received from the user locations during viewing of a record for controlling the operation of the playback drive.
- 4. The system of Claim 2, wherein said controller means further includes means for actuating said switching means to connect a playback drive to a user location.
- 5. The system of Claim 1, wherein said controller means further includes accounting means, comprising:

means for storing data identifying each entertainment or educational record connected by said switching means to a user location; and

means for generating an accounting report based on the data identifying each entertainment or educational record connected to a user location.

- 16 -

6. The system of Claim 1, wherein said controller means further includes means for presenting a menu of entertainment and educational records to a user location.

- 7. The system of Claim 6, wherein the means for presenting a menu comprises a database of entertainment and educational records categorized by subtopics.
- 8. The system of Claim 1, wherein said controller means further includes directory means for maintaining a record of the location of all of the entertainment and educational records within the system.
- 9. The system of Claim 8, wherein said directory means further includes means for assigning a unique code number to each entertainment and educational record within the system.
- 10. The system of Claim 9, wherein said directory further means includes means responsive to a code number for choosing a particular entertainment or education record.

- 17 -

- 11. The system of Claim 1, wherein said controller means further includes means for providing an intermission period during the viewing of a selected record.
- 12. The system of Claim 1, wherein said controller means further includes means for reserving an available time slot for a record.
- 13. The system of Claim 1, wherein said means for controlling further includes means for interactive control of an entertainment or educational record from the user location.
- 14. The system of Claim 13, further including means for limiting said means for interactive control.

- 18 -

15. A system for transmission of recorded selections to a plurality of user locations, in response to requests from the user locations, comprising:

a plurality of recorded selections;

means for storing each of the plurality recorded selections;

a plurality of playback drives for retrieving and outputting information from the recorded selections;

a robotic loader for retrieving a recorded selection from the means for storing and loading the selection into a playback drive;

switching means for connecting an output of playback drive to a user location:

directory means for maintaining a record of the location of all of the recorded selections;

15

controller means responsive to requests received from a user location to operate said robotic loader, said playback drives and said switching means to connect an output of a playback drive to a user location.

- 19 -

16. The system of Claim 15, wherein said controller means further comprises means for collecting and recording accounting information on a user location comprising:

means for storing data identifying each recorded selection connected by said switching means to a user location; and

5

means for generating an accounting report based on the stored data identifying each recorded selection connected to a user location.

17. The system of Claim 15 wherein the directory means further comprises:

means for assigning a unique code number to each recorded selection in the means for storing; and

means responsive to the unique code number for selecting a particular recorded selection.

18. The system of Claim 15, further including means for performing diagnostic functions on the system, said means comprising:

means for performing off-line diagnostic functions:

means for performing self-diagnostic functions on the system; and

means for performing diagnostic functions during system initialization.

- 19. The system of Claim 15, wherein said controller means further includes means for controlling a recorded selection from a user location.
- 20. The system of Claim 19, further including means for limiting said means for controlling.
- 21. The system of Claim 15, further including means for reserving an available time slot for a recorded selection.

- 21 -

22. A method for presenting a library of recorded selections to a plurality of user locations comprising the steps of:

presenting a menu of recorded selections containing information to a user location;

receiving a request for a recorded selection from the user location;

retrieving the recorded selection from a storage means for presentation to the user location;

transmitting information on the recorded selection to the user location;

responding to instructions from the user location during transmission of the recorded selection to the user location; and

returning the recorded selection to the storage means after completion of the transmission.

5

23. The method of Claim 22, wherein the step of retrieving the recorded selection further includes the steps of:

determining the availability of the requested recorded selection;

generating a command to a loading means to remove the recorded selection from the storage means and load the recorded selection into a playback drive; and

reserving the recorded selection for the next

available time period, if said recorded selection is not

presently available.

24. The method of Claim 23, wherein the step of returning the recorded selection further includes the step of generating a command to the loading means to unload the recorded selection from the playback drive and return the recorded selection to the storage means.

- 23 -

25. The method of Claim 22, wherein the step of transmitting the recorded selection further includes the steps of:

transferring a retrieved recorded selection to a playback drive;

5

generating an output from the playback drive; and connecting the output of the playback drive to the remote user location requesting the recorded selection.

26. The method of Claim 22, wherein the step of presenting a menu further includes the steps of:

assigning coded numbers to each recorded selection; and

entering an assigned code number at a user location to make a selection of a recorded selection.

- 27. The method of Claim 22, further including the steps of:
- identifying each recorded selection having information transmitted to a user location;

storing the identification of each recorded selection having information transmitted to a user location;

generating accounting reports on each identified recorded selection; and

printing the accounting reports.

AMENDED CLAIMS

[received by the International Bureau on 7 January 1994 (07.01.94); original claims 12-27 cancelled; original claims 1-11 amended (5 pages)]

- 1. An information delivery system, including:
- a plurality of media each storing information;
- a plurality of media access devices each operable for accessing stored information from a received medium for presentation;
- a plurality of user terminals each including means for presenting information and input means for user input selection of a medium for presentation and for input of user presentation control commands; and
- means for controlling system operation including:

5

15

20

means responsive to the user input selection for retrieving and loading the selected medium into one of the media access devices; and

means for selectively connecting the media access device loaded with the selected medium to at least one of the user terminals to present the accessed information to the user:

characterized by: the means for controlling further including means responsive to the input of user presentation control commands for controlling the media access device and the presentation of the accessed information during presentation thereof to the user at the user terminal.

5

5

5

- 2. The system as in Claim 1 further characterized by the means for controlling including means responsive to the user presentation control for controlling media access device operation to start, stop, pause and scan the medium loaded into the media access device.
- 3. The system as in Claim 1 further characterized by the means for controlling including means for limiting the time available for the user to control the operation of the media access device through the input of user presentation control commands.
- 4. The system as in Claim 3 wherein the means for limiting includes means for blocking input of user presentation control commands when an elapsed amount of time expended controlling operation of the media access device exceeds a predetermined time limit.
- 5. The system as in Claim 1, further characterized by the means for controlling including means for reserving a future time slot for accessing of a medium selected by a user.

6. The system of Claim 1, further characterized by means for performing diagnostic functions on the system, said means comprising:

means for performing off-line diagnostic functions;

means for performing self-diagnostic functions on the system; and

means for performing diagnostic functions during system initialization.

10

20

7. A method for information delivery, including the steps of:

selecting a medium storing information desired for presentation to a user;

selecting one of a plurality of media access devices for accessing information from the selected medium for presentation;

selecting one of a plurality of user terminals for presenting the stored information accessed from the selected medium;

connecting the selected media access device to the selected user terminal;

retrieving and loading the selected media into the selected media access device;

presenting on the selected user terminal the stored information accessed from the selected medium; and

characterized by the step of: inputting user presentation control commands from the selected user terminal to control the selected media access device and the presentation of the accessed information from the selected medium during presentation thereof to the user at the selected user terminal.

5


- 5


5


- 8. The method as in Claim 7 further characterized by the step of controlling the selected media access device in response to the input of user presentation control commands by starting, stopping, pausing and scanning the medium loaded into the selected media access device.
- 9. The method as in Claim 7 further characterized by the step of limiting the time available for the user to control the presentation of accessed information by the selected media access device through the input of user presentation control commands.
 - 10. The method as in Claim 9 wherein the step of limiting is further characterized by the step of blocking the input of user presentation control commands when an elapsed amount of time expended controlling the presentation of accessed information exceeds a predetermined time limit.
 - 11. The method as in Claim 7 further characterized by the steps of:

determining the availability of the selected medium; and

reserving the selected medium for a next available time period.







INTERNATIONAL SEARCH REPORT

International application No. PCT/US93/07318

C1	A CONTROL OF THE PROPERTY OF T						
	ASSIFICATION OF SUBJECT MATTER						
IPC(5) :Please See Extra Sheet. US CL : 369/30, 32; 360/71; 364/406; 370/14							
According to International Patent Classification (IPC) or to both national classification and IPC							
	LDS SEARCHED						
Minimum documentation searched (classification system followed by classification symbols)							
U.S. :	369/30, 32; 360/71; 364/406; 370/14						
Danuman							
Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched							
71'·							
Electroine (data base consulted during the international search (name of data base and, where practical	le, search terms used)					
	'						
C. DOC	UMENTS CONSIDERED TO BE RELEVANT						
<u> </u>	OMEN IS CONSIDERED TO BE RELEVANT						
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.					
X	US, A, 4,766,581 (KORN et al.) 23 August 1988. See the	1-10, 12-17,					
	entire document.	and 19-27					
Υ		and 13-27					
		11 and 18					
i		1 1 and 10					
Y	US, A, 4,485,467 (MILES et al.) 27 November 1984.	10					
}	See col .1, line 65 - col. 2, line 30 and col. 4, line 45 - col.	18					
Ì	5, line 55.						
ľ							
, P	119 A E 160 404 (CUI DEDTCOM	,					
''	US, A, 5,168,481 (CULBERTSON et al.) 01 December	1-27					
	1992. See the entire document.						
1							
Ì	•						
1							
		,					
		•					
Furthe	r documents are listed in the continuation of Box C. See patent family annex.						
Spec							
• door	ment defining the present state of the est which is not complianed	actions but cited to understand the					
100 pa	but of heritories television	•					
	or document published on or after the international filing dates "X" document of particular relevance; the considered movel or cannot be considered.	o claimed invention cannot be red to involve an inventive step					
cised	to catablish the publication data of seather chains or other						
apoc:	nt reason (as specified)	claimed invention cannot be					
E) GOCAL		documents, such combination					
docu	ment sublished prior to the interactional filling data but later then						
100 p	normy date claimed						
01 410 41	completion of the international search Date of mailing of the international search	rep report					
17 September 1993 08 NOV 1993							
Name and mailing address of the ISA/US Commissioner of Patema and Trademarks Authorized officer							
Box PCT Washington,		ا (الملد					
crimile No. NOT Appressor to							
	V210 (second sheet)(July 1992)*	'					

INTERNATIONAL SEARCH REPORT

International application Nc. PCT/US93/07318

A. CLASSIFICATION OF SUBJECT MATTER: IPC (5):						
G11B 17/22, 15/18; G06F 15/00; H07J 1/16						
·						
	·					
	-					
	•••					
	•					
	•					
•						
•						
	·					
•						

Form PCT/ISA/210 (extra sheet)(July 1992)+